MODEL SIX

MADE IN JAPAN	GLAZED STONEWARE		
<u>PACKAGING</u>			

COLOR CODE	SIZE	вох			PLT		
		PC	SQ.FT.	LB(NET WEIGHT)	BOX	SQ.FT.	LB(NET WEIGHT)
No.MS-AG/-GBM No.MS3-AG/-S	3-1/4"x4" (85x99x16mm)	80	5.60	35.2	40	224.00	1,408
		PC	SQ.M.	KG(NET WEIGHT)	вох	SQ.M.	KG(NET WEIGHT)
		80	0.49	16	40	19.60	640

^{*}SQ.FT. and SQ.M. quantity is calculated without joint.

TEST REPORT

The tiles have been inspected in accordance with JIS (Japanese Industrial Standards) specification.

Test	Result	Specification	
Water Absorption	8.953% on average.	JIS A 1509-3 : 2014	
Frost Resistance	No deterioration.	JIS A 1509-9 : 2014	

NOTE

Has natural shade and size variation among batches.

1mm joint is recommended.

NOT ACID PROOF: No.MS-AG/No.MS-GBM/No.MS3-AG